

**GENERAL SAW CORPORATION**

# Router Bits

**and Other Tooling**




**Made in the U.S.A.**

**Effective Date: 01/01/2003**

**2518 Andalusia Boulevard  
Cape Coral, Florida 33909  
Phone: (239) 574-2707  
Fax: (239) 574-5328**

# Plunge Cutting Carbide Tipped Router Bits




Stock No.	Flutes	A	B	C	D
PL10-100	1	1/8"	1/4"	7/16"	2"
PL10-105	2	1/8"	1/4"	7/16"	2"
PL10-110	1	3/16"	1/4"	7/16"	2"
PL10-115	2	3/16"	1/4"	7/16"	2"
PL10-120	1	1/4"	1/4"	1/2"	2"
PL10-125	2	1/4"	1/4"	1/2"	2"
PL10-130	1	1/4"	1/4"	3/4"	2"
PL10-135	2	1/4"	1/4"	3/4"	2"
PL10-140	1	1/4"	1/4"	1"	2-1/4"
PL10-145	2	1/4"	1/4"	1"	2-1/4"
PL10-150	2	1/4"	1/4"	1"	2-7/8"
PL10-155	2	9/32"	1/4"	1"	2-1/4"
PL10-160	2	5/16"	1/4"	1"	2-1/4"
PL10-165	2	3/8"	1/4"	3/4"	1-3/4"
PL10-170	2	3/8"	1/4"	1"	2-1/4"
PL10-175	2	7/16"	1/4"	1"	2-1/8"
PL10-180	2	1/2"	1/4"	3/4"	1-3/4"
PL10-185	2	1/2"	1/4"	1"	2-1/8"
PL10-190	2	9/16"	1/4"	3/4"	2"
PL10-195	2	5/8"	1/4"	3/4"	2"
PL10-200	2	11/16"	1/4"	3/4"	2"
PL10-205	2	3/4"	1/4"	3/4"	2"
PL10-210	2	13/16"	1/4"	3/4"	2"
PL10-215	1	3/8"	3/8"	1"	2-1/2"
PL10-220	2	3/8"	3/8"	1"	2-1/2"
PL10-225	2	3/8"	3/8"	1 1/4"	2-3/4"
PL10-230	2	1/2"	3/8"	1"	2-1/2"
PL10-235	1	1/4"	1/2"	3/4"	2-1/2"
PL10-240	2	1/4"	1/2"	3/4"	2-1/2"
PL10-245	1	5/16"	1/2"	3/4"	2-1/2"
PL10-250	2	5/16"	1/2"	3/4"	2-1/2"
PL10-255	2	5/16"	1/2"	1"	2-3/4"
PL10-260	2	3/8"	1/2"	3/4"	2-1/2"
PL10-265	1	3/8"	1/2"	1"	2-3/4"
PL10-270	2	3/8"	1/2"	1"	2-3/4"
PL10-275	2	3/8"	1/2"	1 1/4"	3"

Stock No.	Flutes	A	B	C	D
PL10-280	2	7/16"	1/2"	1-1/4"	3"
PL10-285	2	1/2"	1/2"	1"	2-5/8"
PL10-290	1	1/2"	1/2"	1-1/4"	2-7/8"
PL10-295	2	1/2"	1/2"	1-1/4"	2-7/8"
PL10-300	1	1/2"	1/2"	1-1/2"	3-1/8"
PL10-305	2	1/2"	1/2"	1-1/2"	3-1/8"
PL10-310	2	1/2"	1/2"	1-1/2"	4-1/4"
PL10-315	1	1/2"	1/2"	2"	4-1/4"
PL10-320	2	1/2"	1/2"	2"	4-1/4"
PL10-325	2	1/2"	1/2"	2-1/2"	4-1/2"
PL10-330	1	9/16"	1/2"	1-1/4"	2-7/8"
PL10-335	2	9/16"	1/2"	1-1/4"	2-7/8"
PL10-340	2	5/8"	1/2"	1"	2-5/8"
PL10-345	1	5/8"	1/2"	1-1/4"	2-7/8"
PL10-350	2	5/8"	1/2"	1-1/4"	2-7/8"
PL10-355	2	5/8"	1/2"	1-1/2"	3-1/8"
PL10-360	2	11/16"	1/2"	1-1/4"	2-7/8"
PL10-365	2	3/4"	1/2"	1"	2-5/8"
PL10-370	2	3/4"	1/2"	1-1/4"	2-7/8"
PL10-375	2	3/4"	1/2"	1-1/2"	3-1/8"
PL10-380	2	25/32"	1/2"	1-1/4"	2-3/4"
PL10-385	2	13/16"	1/2"	1-1/4"	2-7/8"
PL10-390	2	7/8"	1/2"	1-1/4"	2-7/8"
PL10-395	2	1"	1/2"	1-1/4"	2-7/8"
PL10-400	2	1 1/4"	1/2"	1-1/4"	2-7/8"
PL10-405	2	1 1/2"	1/2"	1-1/4"	2-7/8"
PL10-410	2	1-3/4"	1/2"	1-1/4"	2-7/8"
PL10-415	2	2"	1/2"	1-1/4"	2-7/8"
PL10-420	2	3/4"	3/4"	1-1/4"	3-1/4"
PL10-425	2	3/4"	3/4"	2"	4"
PL10-430	2	3/4"	3/4"	2"	4-1/2"
PL10-435	2	3/4"	3/4"	2-1/2"	4-1/2"
PL10-440	2	3/4"	3/4"	2-1/2"	5"

# STAGGER TOOTH


## Carbide Tipped Router Bits

Stock No.	A	B	C	D
ST10-500	1/4"	1/4"	1"	2-1/4"
ST10-505	3/8"	3/8"	1-3/8"	3"
ST10-510	3/8"	1/2"	1-1/2"	3-1/8"
ST10-515	1/2"	1/2"	1-1/2"	3-1/8"
ST10-520	1/2"	1/2"	2"	4-1/4"
ST10-525	1/2"	1/2"	2-1/4"	4-1/2"



# SOLID CARBIDE SPIRAL SHEAR FACE

Plunge Cutting Router Bits  
2 Flutes




Stock No.	Shear Direction	A	B	C	D
SPUS10-800	Up Shear	1/8"	1/8"	1/2"	1-1/2"
SPDS10-805	Down Shear	1/8"	1/8"	1/2"	1-1/2"
SPUS10-810	Up Shear	1/8"	1/4"	1/2"	2"
SPDS10-815	Down Shear	1/8"	1/4"	1/2"	2"
SPUS10-820	Up Shear	5/32"	1/4"	1/2"	2-1/2"
SPDS10-825	Down Shear	5/32"	1/4"	1/2"	2-1/2"
SPUS10-830	Up Shear	3/16"	3/16"	3/4"	2"
SPDS10-835	Down Shear	3/16"	3/16"	3/4"	2"
SPUS10-840	Up Shear	3/16"	1/4"	1/2"	2-1/2"
SPDS10-845	Down Shear	3/16"	1/4"	1/2"	2-1/2"
SPUS10-850	Up Shear	3/16"	1/4"	3/4"	2-1/2"
SPDS10-855	Down Shear	3/16"	1/4"	3/4"	2-1/2"
SPUS10-860	Up Shear	7/32"	1/4"	1"	2-1/2"
SPDS10-865	Down Shear	7/32"	1/4"	1"	2-1/2"
SPUS10-870	Up Shear	1/4"	1/4"	3/4"	2-1/2"
SPDS10-875	Down Shear	1/4"	1/4"	3/4"	2-1/2"
SPUS10-880	Up Shear	1/4"	1/4"	1"	2-1/2"
SPDS10-885	Down Shear	1/4"	1/4"	1"	2-1/2"
SPUS10-890	Up Shear	3/8"	3/8"	1"	2-1/2"
SPDS10-895	Down Shear	3/8"	3/8"	1"	2-1/2"
SPUS10-900	Up Shear	1/2"	1/2"	1-1/4"	3"
SPDS10-905	Down Shear	1/2"	1/2"	1-1/4"	3"
SPUS10-910	Up Shear	1/2"	1/2"	2"	4"
SPDS10-915	Down Shear	1/2"	1/2"	2"	4"

# SOLID CARBIDE STRAIGHT FLUTE

Plunge Cutting Router Bits - 2 Flute


Stock No.	A	B	C	D
SCSF10-700	1/8"	1/8"	1/2"	1-1/2"
SCSF10-705	3/16"	3/16"	3/4"	2"
SCSF10-710	1/8"	1/4"	1/2"	2"
SCSF10-715	3/16"	1/4"	1/2"	2"
SCSF10-720	1/4"	1/4"	3/4"	2-1/2"
SCSF10-725	1/4"	1/4"	1"	2-1/2"



# MORTISING BITS - CARBIDE TIPPED

Router Bits - 2 Flute


Stock No.	A	B	C	D
MB10-600	1/2"	1/4"	3/4"	1-3/4"
MB10-605	5/8"	1/4"	3/4"	2"
MB10-610	3/4"	1/4"	3/4"	2"



# LOCK MORTISING BITS - CARBIDE TIPPED

Screw Type 1/4"-28 Thread - 2 Wing


Stock No.	A	C
MB11-100	3/4"	1/2"
MB11-105	13/16"	1/2"
MB11-110	7/8"	1/2"
MB11-115	15/16"	1/2"
MB11-120	1"	1/2"
MB11-125	1-1/8"	9/16"
MB11-130	1-1/4"	5/8"
ARBORS FOR ABOVE		
A7-13-130	1/4" diameter shank	
A8-13-135	1/2" diameter shank	



# LOCK MORTISING BITS - CARBIDE TIPPED

Screw Type 5/16"-24 Thread - 2 Wing


Stock No.	A	C
MB11-135	1-1/4"	5/8"
ARBORS FOR ABOVE		
A11-13-150	1/4" diameter shank	
A12-13-155	1/2" diameter shank	



# LOCK MORTISING BITS - CARBIDE TIPPED

Screw Type 12-32 Thread - 2 Wing

Stock No.	A	C
MB11-140	15/16"	1/2"
MB11-145	1"	1/2"
MB11-150	1-1/4"	1/2"




# FLUSH TRIM BITS - CARBIDE TIPPED

With Ball Bearing Guide

Stock No.	Flutes	A	B	C
FT14-100	2	1/4"	1/4"	1/2"
FT14-105	2	1/4"	1/4"	3/4"
FT14-110	2	1/4"	1/4"	1"
FT14-115	2	3/8"	1/4"	1/2"
FT14-120	2	3/8"	1/4"	1"
FT14-125	2	1/2"	1/4"	1/2"
FT14-130	2	1/2"	1/4"	1"
FT14-135	2	1/2"	3/8"	1"
FT14-140	2	1/2"	1/2"	1/2"
FT14-145	2	1/2"	1/2"	1"
FT14-150	2	1/2"	1/2"	1-1/2"
FT14-155	2	1/2"	1/2"	1-1/2"
FT14-160	2	1/2"	1/2"	2"
FT14-165	2	1/2"	1/2"	2"
FT14-170	3	1/2"	1/4"	1/2"
FT14-175	3	1/2"	1/4"	1"
FT14-180	3	1/2"	1/2"	1/2"
FT14-185	3	1/2"	1/2"	1"
FT14-190	3	1/2"	1/2"	1-1/2"
FT14-195	3	1/2"	1/2"	1-1/2"

Replacement Bearings

B7-12-125	for 1/4" Cutting Dia. Bits
B10-12-140	for 3/8" Cutting Dia. Bits
B11-12-145	for 1/2" Cutting Dia. Bits




# HELIX FLUSH TRIM BITS - CARBIDE TIPPED

With Ball Bearing Guide - 2 Flutes


Stock No.	A	B	C	D
HXFT14-200	3/4"	1/4"	5/8"	2"
HXFT14-205	3/4"	1/2"	5/8"	2"

Replacement Bearing = B15-12-165



# SOLID CARBIDE SPIRAL UP-SHEAR FLUSH TRIM BIT

With 2 Ball Bearing Guides - 2 Flutes




Stock No.	A	B	C	D
SCSUS14-300	1/2"	1/2"	1-1/4"	3"

Replacement Bearing = B11-12-145

## TEMPLATE FLUSH TRIM BITS - CARBIDE TIPPED

With Ball Bearing Guide


Stock No.	Flutes	A	B	C
TFT14-400	2	1/2"	1/4"	1/2"
TFT14-405	2	1/2"	1/4"	3/4"
TFT14-410	2	1/2"	1/4"	1"
TFT14-415	2	5/8"	1/4"	3/4"
TFT14-420	2	3/4"	1/4"	3/4"
TFT14-425	2	1-1/8"	1/2"	1-1/4"
TFT14-430	2	1-1/8"	1/2"	1-1/2"
Replacement Bearings				
B6-12-120	for 1/2" Cutting Dia. Bits			
B14-12-160	for 5/8" Cutting Dia. Bits			
B15-12-165	for 3/4" Cutting Dia. Bits			
B18-12-170	for 1-1/8" Cutting Dia. Bits			



## OVERHANG TRIM BITS - CARBIDE TIPPED

With Ball Bearing Guide - 2 Flutes


Stock No.	A	B	C	D	E
OHT14-500	3/8"	1/4"	1/2"	1-7/8"	1/8"
OHT14-505	3/8"	1/4"	1/2"	1-7/8"	3/16"
Replacement Bearings					
B14-12-160	for 1/8" Overhang				
B15-12-165	for 3/16" Overhang				



## FLUSH TRIM "V" GROOVE BITS - CARBIDE TIPPED

With Ball Bearing Guide - 2 Flutes


Stock No.	A	B	C
VGFT14-600	5/8"	1/4"	1"
VGFT14-605	5/8"	1/2"	1"
Replacement Bearing = B11-12-145			



## CHAMFER BITS - CARBIDE TIPPED

With Ball Bearing Guide - 2 Flutes - 45° Angle


Stock No.	A	B	C
CF16-300	1-1/4"	1/4"	7/16"
CF16-305	1-1/4"	1/2"	7/16"
CF16-310	2"	1/2"	13/16"
CF16-315	2-1/2"	1/2"	1-1/16"
Replacement Bearings			
B10-12-140	for 1-1/4" Cutting Dia. Bits		
B11-12-145	for 2" + 2-1/2" Cutting Dia. Bits		



## BEVEL TRIM BITS - CARBIDE TIPPED

2 Flute


Stock No.	Bevel	A	B	C	D
BT16-100	15°	17/32"	1/4"	1/2"	2"
BT16-105	15°	17/32"	1/2"	1/2"	2"
BT16-110	25°	21/32"	1/4"	1/2"	2"
BT16-115	25°	21/32"	1/2"	1/2"	2"
BT16-120	45°	3/4"	1/4"	5/16"	1-7/8"
BT16-125	45°	3/4"	1/2"	5/16"	1-7/8"



## BEVEL TRIM BITS - CARBIDE TIPPED

with Ball Bearing Guide


Stock No.	Flutes	Bevel	B	C
BT16-200	3	7°	1/4"	3/8"
BT16-205	2	15°	1/4"	1/4"
BT16-210	3	23°	1/4"	3/8"
BT16-215	2	25°	1/4"	1/4"
BT16-220	2	45°	1/4"	1/4"
Replacement Bearings				
B11-12-145	for 2 Flute Bits			
B14-12-160	for 3 Flute Bits			



## BEVEL TRIM CUTTER ASSEMBLY - SOLID CARBIDE

with Ball Bearing Guide - 3 Wing - 1/4" Hole


Stock No.	Bevel	B	C	Repl. Arbor
BTA16-400	9°	1/4"	3/8"	BTA-A9
BTA16-405	9°	1/2"	3/8"	BTA-A10
BTA16-410	22°	1/4"	3/8"	BTA-A9
BTA16-415	22°	1/2"	3/8"	BTA-A10
INCLUDED: Solid Carbide Cutter, Arbor and Ball Bearing Guide				
B14-12-160	Replacement Bearing for above Assemblies			



## BEVEL TRIM CUTTERS - SOLID CARBIDE

for Assembly - 3 Wing


Stock No.	Bevel	Arbor Hole	C
BTC16-420	9°	1/4"	3/8"
BTC16-425	22°	1/4"	3/8"



## BEVEL TRIM CUTTER ASSEMBLY - CARBIDE TIPPED

with Ball Bearing Guide - 4 Wing - 5/16" Hole

Stock No.	Bevel	B	C	Repl. Arbor
BTA16-500	15°	1/4"	1/4"	BTA-A1
BTA16-505	15°	1/2"	1/4"	BTA-A3
BTA16-510	25°	1/4"	1/4"	BTA-A1
BTA16-515	25°	1/2"	1/4"	BTA-A3
INCLUDED: Solid Carbide Cutter, Arbor and Ball Bearing Guide				
B12-12-150	Replacement Bearing for above Assemblies			



## BEVEL TRIM CUTTERS - CARBIDE TIPPED

for Assembly - 4 Wing


Stock No.	Bevel	Arbor Hole	C
BTC16-520	15°	5/16"	1/4"
BTC16-525	25°	5/16"	1/4"



## DOUBLE BEVEL TRIM CUTTER ASSEMBLY

**CARBIDE TIPPED** with Ball Bearing Guide - 4 Wing - 5/16" Hole

Stock No.	Bevel	B	C	Repl. Arbor
DBTA16-600	15°	1/2"	1/4"	BTA-A13
DBTA16-605	25°	1/2"	1/4"	BTA-A13
DBTA16-610	45°	1/2"	1/4"	BTA-A13
INCLUDED: 2 Cutters, Arbor and Ball Bearing Guide				
B12-12-150	Replacement Bearing for above Assemblies			



## BEVEL TRIM CUTTERS - CARBIDE TIPPED

for Assembly - 4 Wing

Stock No.	Rotation	Bevel	Arbor Hole	C
BTC16-520	Right Hand	15°	5/16"	1/4"
BTC16-625	Left Hand	15°	5/16"	1/4"
BTC16-525	Right Hand	25°	5/16"	1/4"
BTC16-625	Left Hand	25°	5/16"	1/4"
BTC16-630	Right Hand	45°	5/16"	1/4"
BTC16-635	Left Hand	45°	5/16"	1/4"






## FLUSH TRIM CUTTER ASSEMBLY - SOLID CARBIDE

with Ball Bearing Guide - 3 Wing - 1/4" Hole


Stock No.	B	C	Repl. Arbor
FTA16-100	1/4"	3/8"	BTA-A9
FTA16-105	1/2"	3/8"	BTA-A10
INCLUDED: Solid Carbide Cutter, Arbor and Ball Bearing Guide			
B14-12-160	Replacement Bearing for above Assemblies		



## FLUSH TRIM CUTTER - SOLID CARBIDE

for Assembly - 3 Wing


Stock No.	Arbor Hole	C
FTC17-110	1/4"	3/8"



## FLUSH TRIM CUTTER ASSEMBLY - CARBIDE TIPPED

with Ball Bearing Guide - 4 Wing - 5/16" Hole


Stock No.	B	C	Repl. Arbor
FTA17-200	1/4"	1/4"	BTA-A1
FTA17-205	1/2"	1/4"	BTA-A3
INCLUDED: Solid Carbide Cutter, Arbor and Ball Bearing Guide			
B12-12-150	Replacement Bearing for above Assemblies		



## DOUBLE FLUSH TRIM CUTTER ASSEMBLY

CARBIDE TIPPED with Ball Bearing Guide - 4 Wing - 5/16" Hole


Stock No.	B	C
DFTA17-215	1/2"	1/4"
INCLUDED: 2 Cutters, Arbor and Ball Bearing		
B12-12-150	Replacement Bearing for Assembly	
A13-12-160	Replacement Arbor for Assembly	



## FLUSH TRIM CUTTER - CARBIDE TIPPED

for Assembly - 4 Wing


Stock No.	Arbor Hole	C
FTC17-210	5/16"	1/4"



## CORE BOX BITS - CARBIDE TIPPED

2 Flutes



Stock No.	Radius	A	B	C	D
CB19-100	3/8"	1/8"	1/4"	3/16"	1-3/4"
CB19-105	3/8"	3/16"	1/4"	3/16"	1-3/4"
CB19-110	1/8"	1/4"	1/4"	3/16"	1-3/4"
CB19-115	3/16"	3/8"	1/4"	3/8"	1-3/4"
CB19-120	3/16"	3/8"	1/2"	1/2"	2"
CB19-125	1/4"	1/2"	1/4"	1/2"	1-3/4"
CB19-130	1/4"	1/2"	1/2"	1/2"	2"
CB19-135	5/16"	5/8"	1/4"	1/2"	1-3/4"
CB19-140	5/16"	5/8"	1/2"	5/8"	2"
CB19-145	3/8"	3/4"	1/4"	5/8"	2"
CB19-150	3/8"	3/4"	1/2"	5/8"	2-1/4"
CB19-155	7/16"	7/8"	1/4"	5/8"	2"
CB19-160	7/16"	7/8"	1/2"	5/8"	2-1/4"
CB19-165	1/2"	1"	1/4"	5/8"	2"
CB19-170	1/2"	1"	1/2"	5/8"	2-1/4"
CB19-175	5/8"	1-1/4"	1/2"	3/4"	2-3/4"



## "V" GROOVING BITS - CARBIDE TIPPED

90° Included Angle - 2 Flutes

Stock No.	A	B	C	D
VG20-100	3/8"	1/4"	1/2"	1-3/4"
VG20-105	3/8"	1/2"	1/2"	2"
VG20-110	1/2"	1/4"	1/2"	1-3/4"
VG20-115	1/2"	1/2"	1/2"	2"
VG20-120	5/8"	1/4"	1/2"	1-7/8"
VG20-125	5/8"	1/2"	1/2"	2-1/2"
VG20-130	3/4"	1/4"	5/8"	2"
VG20-135	3/4"	1/2"	5/8"	2-1/4"
VG20-140	7/8"	1/4"	5/8"	2"
VG20-145	7/8"	1/2"	5/8"	2-1/4"
VG20-150	1"	1/4"	5/8"	2-1/4"
VG20-155	1"	1/2"	5/8"	2-1/2"
VG20-160	1-1/4"	1/2"	5/8"	2-3/4"
VG20-165	1-1/2"	1/2"	3/4"	3"



## FINGER PULL BITS - CARBIDE TIPPED


2 Flutes

Stock No.	A	B	C	D
FP21-100	3/4"	1/4"	1/4"	1-3/4"
FP21-105	1-1/4"	1/4"	3/8"	2"

## REVERSIBLE OGEE STILE & RIAL ASSEMBLY

**CARBIDE TIPPED** - 2 Flutes - for 3/4" Material


Stock No.	A	B
SRO21-600	1-3/4"	1/2"
INCLUDED: 2 Cutters, Arbor and Ball Bearing		
B12-12-150	Replacement Bearing for Assembly	
A13-12-160	Replacement Arbor for Assembly	
OSR21-605	Replacement Ogee Cutter for Assembly	
SSR21-610	Replacement Groove Cutter for Assembly	



## REVERSIBLE CLASSICAL STILE & RIAL ASSEMBLY

**CARBIDE TIPPED** - 2 Flutes - for 3/4" Material


Stock No.	A	B
SRC21-500	1-3/4"	1/2"
INCLUDED: 2 Cutters, Arbor and Ball Bearing		
B12-12-150	Replacement Bearing for Assembly	
A13-13-160	Replacement Arbor for Assembly	
CSR21-505	Replacement Classical Cutter for Assembly	
SSR21-510	Replacement Groove Cutter for Assembly	



## REVERSIBLE BEVEL STILE & RIAL ASSEMBLY

**CARBIDE TIPPED** - 2 Flutes - for 3/4" Material


Stock No.	A	B
SRB21-400	1-3/4"	1/2"
INCLUDED: 2 Cutters, Arbor and Ball Bearing		
B12-12-150	Replacement Bearing for Assembly	
A13-12-160	Replacement Arbor for Assembly	
BSR21-405	Replacement Bevel Cutter for Assembly	
SSR21-410	Replacement Groove Cutter for Assembly	



## DOOR LIP CUTTER ASSEMBLY

**CARBIDE TIPPED** - 2 Flutes


Stock No.	A	B	C
DL21-300	1-5/8"	1/2"	1"
INCLUDED: 2 Cutters and Arbor			
A13-12-160	Replacement Arbor for Assembly		
DLRO21-305	Replacement Round Over Cutter for Assembly		
DLR21-310	Replacement Rabbeting Cutter for Assembly		



## PANEL PILOT BITS - CARBIDE TIPPED

1 Flutes


Stock No.	A	B	C	D
PP14-700	1/4"	1/4"	13/16"	2-3/8"
PP14-705	3/8"	3/8"	1"	3-1/8"
PP14-710	1/2"	1/2"	1-1/4"	3-3/8"



## SOLID CARBIDE FLUSH PANEL PILOT BIT

1 Flute


Stock No.	B	C	D
FPB14-800	1/4"	1/4"	1-1/2"



## SOLID CARBIDE BEVEL PANEL PILOT BIT

1 Flute - 7° Angle


Stock No.	B	C	D
BPB14-805	1/4"	1/4"	1-1/2"



## SOLID CARBIDE PLUNGE CUT & FLUSH TRIM BIT

Plunge Cutting - 1 Flute


Stock No.	B	C	D
PFTB14-810	1/4"	5/16"	2"



## SOLID CARBIDE COMBINATION FLUSH & BEVEL TRIM BIT


1 Flute - 7° Angle

Stock No.	B	C	D
CFBT28-600	1/4"	3/8"	2"




## SOLID CARBIDE RIP & SLOTTING BIT

Stock No.	A	B	C	D
RSB28-700	1/4"	1/4"	3/8"	2"



## SOLID CARBIDE ROUND BOTTOM VEINING BITS


Stock No.	Radius	A	B	D
RBVB28-100	1/16"	1/8"	1/4"	2"
RBVB28-105	3/32"	3/16"	1/4"	2"
RBVB28-110	1/8"	1/4"	1/4"	2"



## SOLID CARBIDE "V" GROOVING VEINING BIT

90° Included Angle


Stock No.	A	B	D
VGVB28-200	1/4"	1/4"	2"



## COMBINATION FLUSH & BEVEL TRIM BIT - CARBIDE TIPPED

2 Flutes


Stock No.	B	C	D
CBFT28-300	1/4"	1/2"	1-1/2"



## COMBINATION FLUSH & BEVEL TRIM BIT - CARBIDE TIPPED

2 Flutes


Stock No.	B	C	D
CBFT28-400	1/4"	1/2"	1-5/8"



## COMBINATION FLUSH & BEVEL TRIM BIT - CARBIDE TIPPED

1 Flute


Stock No.	B	C	D
CBFT28-500	1/4"	1/2"	15/16"



## BEVEL TRIM BITS - CARBIDE TIPPED

22° Angle - 2 Flute


Stock No.	B	C	D
BT28-505	1/4"	9/32"	15/16"



# PLUNGE CUTTING ROUND OVER BITS

**CARBIDE TIPPED**

2 Flute




Stock No.	Radius	A	B	C	D	a
PRO22-100	1/8"	3/8"	1/4"	1/8"	1-7/8"	1/8"
PRO22-105	1/8"	3/8"	1/2"	1/8"	2"	1/8"
PRO22-110	3/16"	1/2"	1/4"	1/4"	1-7/8"	1/8"
PRO22-115	3/16"	1/2"	1/2"	1/4"	2"	1/8"
PRO22-120	1/4"	3/4"	1/4"	3/8"	1-7/8"	1/4"
PRO22-125	1/4"	3/4"	1/2"	3/8"	2"	1/4"
PRO22-130	5/16"	7/8"	1/2"	7/16"	2-1/8"	1/4"
PRO22-135	3/8"	1"	1/2"	1/2"	2-1/8"	1/4"
PRO22-140	1/2"	1-3/8"	1/2"	3/4"	2-3/8"	3/8"
PRO22-145	5/8"	1-3/4"	1/2"	1"	2-5/8"	1/2"
PRO22-150	3/4"	2"	1/2"	1-1/8"	2-7/8"	1/2"

# BEADING BITS

w/Ball Bearing Guide

**CARBIDE TIPPED**

2 Flute




Stock No.	Radius	A	B	C
BRO22-200	1/16"	5/8"	1/4"	5/16"
BRO22-205	1/16"	5/8"	1/2"	5/16"
BRO22-210	1/8"	3/4"	1/4"	3/8"
BRO22-215	1/8"	3/4"	1/2"	3/8"
BRO22-220	5/32"	13/16"	1/4"	3/8"
BRO22-225	3/16"	7/8"	1/4"	3/8"
BRO22-230	3/16"	7/8"	1/2"	3/8"
BRO22-235	1/4"	1"	1/4"	7/16"
BRO22-240	1/4"	1"	1/2"	7/16"
BRO22-245	5/16"	1-1/8"	1/4"	1/2"
BRO22-250	5/16"	1-1/8"	1/2"	1/2"
BRO22-255	3/8"	1-1/4"	1/4"	5/8"
BRO22-260	3/8"	1-1/4"	1/2"	5/8"
BRO22-265	1/2"	1-1/2"	1/4"	3/4"
BRO22-270	1/2"	1-1/2"	1/2"	3/4"
BRO22-275	5/8"	1-3/4"	1/2"	7/8"
BRO22-280	3/4"	2"	1/2"	1"
BRO22-285	7/8"	2-1/4"	1/2"	1-1/8"
BRO22-290	1"	2-1/2"	1/2"	1-1/4"
B9-12-135	Replacement Bearing for Beading Bits			

# ROUNDING OVER BITS

w/ Ball Bearing Guide

**CARBIDE TIPPED**

2 Flute




Stock No.	Radius	A	B	C
RO22-300	1/16"	5/8"	1/4"	5/16"
RO22-305	1/16"	5/8"	1/2"	5/16"
RO22-310	1/8"	3/4"	1/4"	3/8"
RO22-315	1/8"	3/4"	1/2"	3/8"
RO22-320	5/32"	13/16"	1/4"	3/8"
RO22-325	3/16"	7/8"	1/4"	3/8"
RO22-330	3/16"	7/8"	1/2"	3/8"
RO22-335	1/4"	1"	1/4"	7/16"
RO22-340	1/4"	1"	1/2"	7/16"
RO22-345	5/16"	1-1/8"	1/4"	1/2"
RO22-350	5/16"	1-1/8"	1/2"	1/2"
RO22-355	3/8"	1-1/4"	1/4"	5/8"
RO22-360	3/8"	1-1/4"	1/2"	5/8"
RO22-365	1/2"	1-1/2"	1/4"	3/4"
RO22-370	1/2"	1-1/2"	1/2"	3/4"
RO22-372	9/16"	1-5/8"	1/2"	13/16"
RO22-375	5/8"	1-3/4"	1/2"	7/8"
RO22-380	3/4"	2"	1/2"	1"
RO22-385	7/8"	2-1/4"	1/2"	1-1/8"
RO22-390	1"	2-1/2"	1/2"	1-1/4"
RO22-395	1-1/8"	2-3/4"	1/2"	1-3/8"
RO22-400	1-1/4"	3"	1/2"	1-1/2"
RO22-405	1-3/8"	3-1/4"	1/2"	1-5/8"
RO22-410	1-1/2"	3-1/2"	1/2"	1-3/4"
B11-12-145	Replacement Bearing for Round Over Bits			

# DOVETAIL BITS

**CARBIDE TIPPED**

2 Flute




Stock No.	Degree	A	B	C	D
DT18-100	9°	3/8"	1/4"	3/8"	1-3/4"
DT18-105	9°	3/8"	1/2"	3/8"	2"
DT18-110	14°	1/2"	1/4"	1/2"	1-3/4"
DT18-115	14°	1/2"	1/2"	1/2"	2-1/8"
DT18-120	7°	5/8"	1/2"	7/8"	2-3/4"
DT18-125	7°	3/4"	1/2"	7/8"	2-1/2"
DT18-130	7°	7/8"	1/2"	7/8"	2-1/2"
DT18-135	14°	1"	1/2"	1"	2-1/2"

## BULLNOSE RADIUS BITS - CARBIDE TIPPED

2 Flute


Stock No.	A Cutting Diameter	B Shank	C Cutting	Radius	Material Thickness
BN22-500	21/32"	1/4"	1/2"	5/64"	1/8"
BN22-505	21/32"	1/2"	1/2"	5/64"	1/8"
BN22-510	23/32"	1/4"	1/2"	7/64"	3/16"
BN22-515	23/32"	1/2"	1/2"	7/64"	3/16"
BN22-520	25/32"	1/4"	3/4"	9/64"	1/4"
BN22-525	25/32"	1/2"	3/4"	9/64"	1/4"
BN22-530	29/32"	1/4"	3/4"	13/64"	3/8"
BN22-535	29/32"	1/2"	3/4"	13/64"	3/8"
BN22-540	1-1/32"	1/2"	1"	17/64"	1/2"
BN22-545	1-3/16"	1/2"	1-1/8"	11/64"	5/8"
BN22-550	1-5/16"	1/2"	1-1/4"	13/64"	3/4"
BN22-555	1-9/16"	1/2"	1-1/2"	17/64"	1"
BN22-560	1-13/16"	1/2"	1-3/4"	21/32"	1-1/4"



## BULLNOSE RADIUS BITS - CARBIDE TIPPED

2 Flute - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank	C Cutting	Radius	Material Thickness
BN22-600	21/32"	1/4"	1/2"	5/64"	1/8"
BN22-605	21/32"	1/2"	1/2"	5/64"	1/8"
BN22-610	23/32"	1/4"	1/2"	7/64"	3/16"
BN22-615	23/32"	1/2"	1/2"	7/64"	3/16"
BN22-620	25/32"	1/4"	3/4"	9/64"	1/4"
BN22-625	25/32"	1/2"	3/4"	9/64"	1/4"
BN22-630	29/32"	1/4"	3/4"	13/64"	3/8"
BN22-635	29/32"	1/2"	3/4"	13/64"	3/8"
BN22-640	1-1/32"	1/2"	1"	17/64"	1/2"
BN22-645	1-3/16"	1/2"	1-1/8"	11/64"	5/8"
BN22-650	1-5/16"	1/2"	1-1/4"	13/64"	3/4"
BN22-655	1-9/16"	1/2"	1-1/2"	17/64"	1"
BN22-660	1-13/16"	1/2"	1-3/4"	21/32"	1-1/4"
B11-12-145	Replacement Bearing for Bull Nose Bits				





# TRADITIONAL EDGE BEADING BITS - CARBIDE TIPPED

2 Flute - with Ball Bearing Guide




Stock No.	R Radius	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length	E Bead Size
TBB22-700	1/8"	25/32"	1/4"	1/2"	1-1/2"	1/4"
TBB22-705	1/8"	25/32"	1/2"	1/2"	2"	1/4"
TBB22-710	3/16"	29/32"	1/4"	5/8"	1-5/8"	3/8"
TBB22-715	3/16"	29/32"	1/2"	5/8"	2-1/8"	3/8"
TBB22-720	1/4"	1-1/32"	1/4"	3/4"	1-3/4"	1/2"
TBB22-725	1/4"	1-1/32"	1/2"	3/4"	2-1/4"	1/2"
B11-12-145	Replacement Bearing for Edge Beading Bits					

# ROMAN OGEE BITS - CARBIDE TIPPED

2 Flute - with Ball Bearing Guide


Stock No.	R Radius	A Cutting Diameter	B Shank Dia.	C Cutting Length
ROG23-100	5/32"	1"	1/4"	15/32"
ROG23-105	5/32"	1"	1/2"	15/32"
ROG23-110	1/4"	1-3/8"	1/4"	21/32"
ROG23-115	1/4"	1-3/8"	1/2"	21/32"
B10-12-140	Replacement Bearing for Roman Ogee Bits			



# DOUBLE ROMAN OGEE BITS - CARBIDE TIPPED

2 Flute - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length
DROG23-200	1"	1/4"	5/8"	1-3/4"
DROG23-205	1"	1/2"	5/8"	2"
DROG23-210	1-3/8"	1/4"	3/4"	1-7/8"
DROG23-215	1-3/8"	1/2"	3/4"	2-1/4"
B10-12-140	Replacement Bearing for Roman Ogee Bits			



# OGEE BITS - CARBIDE TIPPED

2 Flutes


Stock No.	A Lg.Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length	a Sm.Cutting Diameter	r Radius
OG23-300	3/8"	1/4"	5/16"	1-7/8"	1/8"	1/16"
OG23-305	3/8"	1/2"	5/16"	2-3/4"	1/8"	1/16"
OG23-310	1/2"	1/4"	3/8"	2"	1/8"	3/32"
OG23-315	1/2"	1/2"	3/8"	2-3/4"	1/8"	3/32"
OG23-320	3/4"	1/4"	1/2"	2"	3/16"	9/64"
OG23-325	3/4"	1/2"	1/2"	2-3/4"	3/16"	9/64"



# OGEE BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length
OGB23-400	1-1/8"	1/4"	1/2"	1-5/8"
OGB23-405	1-1/8"	1/2"	1/2"	2"
OGB23-410	1-3/8"	1/4"	11/16"	1-3/4"
OGB23-415	1-3/8"	1/2"	11/16"	2-1/8"
B11-12-145	Replacement Bearing for Ogee Bits			



# OGEE FILLET BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	R Radius
OGFB23-600	1-3/8"	1/4"	9/16"	3/16"
OGFB23-605	1-3/8"	1/2"	9/16"	3/16"
OGFB23-610	1-5/8"	1/2"	13/16"	1/4"
B11-12-145	Replacement Bearing for Ogee Fillet Bits			



# ROUNDING OVER COVE BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length
ROCB23-500	1-1/8"	1/4"	1/2"	1-5/8"
ROCB23-505	1-1/8"	1/2"	1/2"	2"
ROCB23-510	1-3/8"	1/4"	11/16"	1-3/4"
ROCB23-515	1-3/8"	1/2"	11/16"	2-1/8"
B11-12-145	Replacement Bearing for RoundOver Cove Bits			



## COVE BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	R Radius	A Cutting Diameter	B Shank Dia.	C Cutting Length
COV24-100	1/16"	1/2"	1/4"	1/2"
COV24-105	1/16"	1/2"	1/2"	1/2"
COV24-110	1/8"	5/8"	1/4"	1/2"
COV24-115	1/8"	5/8"	1/2"	1/2"
COV24-120	3/16"	3/4"	1/4"	1/2"
COV24-125	3/16"	3/4"	1/2"	1/2"
COV24-130	1/4"	7/8"	1/4"	1/2"
COV24-135	1/4"	7/8"	1/2"	1/2"
COV24-140	5/16"	1"	1/4"	1/2"
COV24-145	5/16"	1"	1/2"	1/2"
COV24-150	3/8"	1-1/8"	1/4"	1/2"
COV24-155	3/8"	1-1/8"	1/2"	1/2"
COV24-160	1/2"	1-3/8"	1/4"	5/8"
COV24-165	1/2"	1-3/8"	1/2"	5/8"
B10-12-140	Replacement Bearing for Cove Bits			



## COVE FILLET BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length
CFB24-200	1-1/8"	1/4"	1/2"	1-5/8"
CFB24-205	1-1/8"	1/2"	1/2"	2"
CFB24-210	1-3/8"	1/4"	5/8"	1-3/4"
CFB24-215	1-3/8"	1/2"	5/8"	2-1/8"
B11-12-145	Replacement Bearing for Cove Fillet Bits			



## DOUBLE FILLET COVE BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length
DFCB24-300	1-1/8"	1/4"	1/2"	1-5/8"
DFCB24-305	1-1/8"	1/2"	1/2"	2"
DFCB24-310	1-3/8"	1/4"	5/8"	1-3/4"
DFCB24-315	1-3/8"	1/2"	5/8"	2-1/8"
B11-12-145	Replacement Bearing for Dbl. Cove Fillet Bits			



## CLASSICAL BITS - CARBIDE TIPPED

2 Flutes


Stock No.	A Lg.Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length	a Sm.Cutting Diameter	r Radius
CL25-100	1/2"	1/4"	1/2"	2"	3/16"	3/32"
CL25-105	1/2"	1/2"	1/2"	2-3/4"	3/16"	3/32"
CL25-110	3/4"	1/4"	5/8"	2-1/8"	5/16"	5/32"
CL25-115	3/4"	1/2"	5/8"	2-3/4"	5/16"	5/32"
CL25-120	1"	1/2"	5/8"	2-3/4"	15/32"	3/16"
CL25-125	1-1/2"	1/2"	3/4"	3"	3/4"	1/4"



## CLASSICAL BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length	R Radius	r Radius
CLB25-200	1-1/4"	1/4"	1/2"	3/16"	3/16"
CLB25-205	1-1/4"	1/2"	1/2"	3/16"	3/16"
CLB25-210	1-1/2"	1/4"	5/8"	1/4"	3/16"
CLB25-215	1-1/2"	1/2"	5/8"	1/4"	3/16"
B11-12-145	Replacement Bearing for Classical Bits				



## TRADITIONAL BITS - CARBIDE TIPPED

2 Flutes


Stock No.	A Lg.Cutting Diameter	B Shank Dia.	C Cutting Length	D Overall Length	a Sm.Cutting Diameter	r Radius
TR26-100	1/2"	1/4"	3/8"	2"	1/4"	1/16"
TR26-105	3/4"	1/4"	7/16"	2-1/16"	3/8"	3/32"
TR26-110	3/4"	1/2"	7/16"	2-5/8"	3/8"	3/32"



## TRADITIONAL FILLET BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length	r Radius
TRF26-200	1-1/8"	1/4"	9/16"	5/32"
TRF26-205	1-1/8"	1/2"	9/16"	5/32"
TRF26-210	1-3/8"	1/4"	11/16"	7/32"
TRF26-215	1-3/8"	1/2"	11/16"	7/32"
TRF26-220	1-1/2"	1/4"	3/4"	1/4"
TRF26-225	1-1/2"	1/2"	3/4"	1/4"
TRF26-230	1-3/4"	1/2"	7/8"	3/8"
B11-12-145	Replacement Bearing for Traditional Fillet Bits			



## WAVY EDGE FORM BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length	r Radius
WE26-300	1-1/4"	1/4"	5/8"	1-3/4"
WE26-305	1-1/4"	1/2"	5/8"	2-1/4"
B11-12-145	Replacement Bearing for Wavy Edge Form Bits			



## RAISED PANEL BIT - CARBIDE TIPPED

2 Flutes


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length
RP27-100	1-1/8"	1/2"	1/2"



## RAISED PANEL BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length
RPB27-200	1-5/8"	1/2"	1/2"
B11-12-145	Replacement Bearing for Raised Panel		



## OGEE FILLET RAISED PANEL BITS - CARBIDE TIPPED

2 Flutes - with Ball Bearing Guide


Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length	r Radius
OGRP27-300	2-5/8"	1/2"	5/8"	5/8"
B11-12-145	Replacement Bearing for Ogee Fillet Raised Panel Bit			



## RABBETING BITS - CARBIDE TIPPED


2 Flutes - with Ball Bearing Guide

Stock No.	A Cutting Diameter	B Shank Diameter	C Cutting Length	E Rabbit Depth
RT15-100	1"	1/4"	1/2"	1/4"
RT15-105	1"	1/2"	1/2"	1/4"
RT15-110	1-1/4"	1/4"	1/2"	3/8"
RT15-115	1-1/4"	1/2"	1/2"	3/8"
*RT15-120	1-3/8"	1/4"	1/2"	1/2"
RT15-125	1-1/2"	1/2"	3/4"	1/2"
B11-12-145	Replacement Bearing for Rabbeting Bits			
*B9-12-135	Replacement Bearing for Rabbeting Bit			




# BALL BEARING GUIDES

Stock No.	A Inside Diameter	B Outside Diameter
B2-12-100	5/16"	1/2"
B3-12-105	5/16"	5/8"
B4-12-110	5/16"	3/4"
B5-12-115	1/4"	3/8"
B6-12-120	1/4"	1/2"
B7-12-125	1/8"	1/4"
B8-12-130	1/8"	1/2"
B9-12-135	3/16"	3/8"
B10-12-140	1/8"	3/8"
B11-12-145	3/16"	1/2"
B12-12-150	5/16"	.865"
B13-12-155	5/16"	.945"
B14-12-160	1/4"	5/8"
B15-12-165	1/4"	3/4"
B18-12-170	1/2"	1-1/8"



# ARBORS for ROUTER CUTTERS

with Nut and Washer



Stock No.	A Arbor Diameter	B Shank Diameter	C Arbor Length	D Overall Length	E Shank Length	Thread Size
A1-13-100	5/16"	1/4"	7/8"	2-3/8"	1-1/4"	
A2-13-105	5/16"	3/8"	7/8"	2-3/8"	1-1/4"	
A3-13-110	5/16"	1/2"	7/8"	2-3/8"	1-1/2"	
A4-13-115	5/16"	1/4"	11/16"	2-1/8"	1"	
A5-13-120	5/16"	1/2"	11/16"	2"	1-3/8"	
A6-13-125	1/4"	1/4"	7/8"	2-3/8"	1-1/4"	
A7-13-130	1/4"	1/4"	1/4"	1-3/4"	1-3/8"	1/4-28
A8-13-135	1/4"	1/2"	1/4"	2-3/8"	2-1/8"	1/4-28
A9-13-140	1/4"	1/4"	1"	2-1/4"	1-1/8"	
A10-13-145	1/4"	1/2"	1"	2-1/2"	1-1/2"	
A11-13-150	5/16"	1/4"	1/4"	1-3/4"	1-3/8"	5/16-24
A12-13-155	5/16"	1/2"	1/4"	1-3/4"	1-1/2"	5/16-24
A13-13-160	5/16"	1/2"	1-1/2"	3"	1-1/2"	

## 2 WING SLOTTING CUTTERS - CARBIDE TIPPED

2" Diameter - 5/16" Hole



### CUTTERS ONLY

Stock No.	Kerf
S-29-100	1/16"
S-29-105	.075"
S-29-110	.080"
S-29-115	3/32"
S-29-120	1/8"
S-29-125	3/16"
S-29-130	1/4"


### ASSEMBLIES

Stock No.	Kerf	Shank Diameter
SA-29-200	1/16"	1/4"
SA-29-205	1/16"	1/2"
SA-29-210	.075"	1/4"
SA-29-215	.075"	1/2"
SA-29-220	.080"	1/4"
SA-29-225	.080"	1/2"
SA-29-230	3/32"	1/4"
SA-29-235	3/32"	1/2"
SA-29-240	1/8"	1/4"
SA-29-245	1/8"	1/2"
SA-29-250	3/16"	1/4"
SA-29-255	3/16"	1/2"
SA-29-260	1/4"	1/4"
SA-29-265	1/4"	1/2"

Included: Cutter, Arbor and Ball Bearing Guide

## 3 WING SLOTTING CUTTERS - CARBIDE TIPPED

2" Diameter - 5/16" Hole



### CUTTERS ONLY

Stock No.	Kerf
S-29-300	1/16"
S-29-305	5/64"
S-29-310	3/32"
S-29-315	1/8"
S-29-320	5/32"
S-29-325	3/16"
S-29-330	1/4"


### ASSEMBLIES

Stock No.	Kerf	Shank Diameter
SA-29-400	1/16"	1/4"
SA-29-405	1/16"	1/2"
SA-29-410	5/64"	1/4"
SA-29-415	5/64"	1/2"
SA-29-420	3/32"	1/4"
SA-29-425	3/32"	1/2"
SA-29-430	1/8"	1/4"
SA-29-435	1/8"	1/2"
SA-29-440	5/32"	1/4"
SA-29-445	5/32"	1/2"
SA-29-450	3/16"	1/4"
SA-29-455	3/16"	1/2"
SA-29-460	1/4"	1/4"
SA-29-465	1/4"	1/2"

Included: Cutter, Arbor and Ball Bearing Guide

# 4 WING SLOTTING CUTTERS - CARBIDE TIPPED

2" Diameter - 5/16" Hole



## CUTTERS ONLY

Stock No.	Kerf
S-29-500	1/16"
S-29-505	.075"
S-29-510	.080"
S-29-515	3/32"
S-29-520	1/8"
S-29-525	3/16"
S-29-530	1/4"

## ASSEMBLIES

Stock No.	Kerf	Shank Diameter
SA-29-600	1/16"	1/4"
SA-29-605	1/16"	1/2"
SA-29-610	.075"	1/4"
SA-29-615	.075"	1/2"
SA-29-620	.080"	1/4"
SA-29-625	.080"	1/2"
SA-29-630	3/32"	1/4"
SA-29-635	3/32"	1/2"
SA-29-640	1/8"	1/4"
SA-29-645	1/8"	1/2"
SA-29-650	3/16"	1/4"
SA-29-255	3/16"	1/2"
SA-29-660	1/4"	1/4"
SA-29-665	1/4"	1/2"
Included: Cutter, Arbor and Ball Bearing Guide		

For Pricing Please Call:

## **GENERAL SAW CORPORATION**

**2518 Andalusia Boulevard**

**Cape Coral, FL. 33909**

Local: (239) 574-2707 Toll-Free(800)306-7297